






I:\COMMON\CAD\TREATMENT\54 FILTERRA\40 STANDARD DRAWINGS\IN PROCESS\STD DETAILS\FT-HC (NJ ONLY) - FILTERRA OFFLINE CONFIG DTL-DWG 3/15/2023 6:17 PM



FT-HC CONFIGURATION (OPTIONS: THROAT INLET "-T", PIPE INLET "-P")						
VAULT SIZE (L x W)	MEDIA AREA (SF)	LONG SIDE INLET DESIG. / PART NO.	SHORT SIDE INLET DESIG. / PART NO.	AVAILABILITY	OUTLET PIPE DIA	MIN. NO. OF INLET PIPES (-P ONLY)
4 x 4	16	FT0404-HC	FT0404-HC	ALL	6" SDR 35	1
6 x 4	24	FT0604-HC	FT0406-HC	ALL	6" SDR 35	1
8 x 4	32	FT0804-HC	FT0408-HC	ALL (EXCEPT DE, MD, NJ, PA, VA, WV)	6" SDR 35	1
7.83 x 4.5	35	FT078045-HC	FT045078-HC	DE, MD, NJ, PA, VA, WV ONLY	6" SDR 35	1
6 x 6	36	FT0606-HC	FT0606-HC	ALL (EXCEPT CA, TX)	6" SDR 35	1
8 x 6	48	FT0806-HC	FT0608-HC	ALL	6" SDR 35	1
10 x 6	60	FT1006-HC	FT0610-HC	ALL (EXCEPT CA, TX)	6" SDR 35	2
8 x 8	64	FT0808-HC	FT0808-HC	CA, TX ONLY	6" SDR 35	2
12 x 6	72	FT1206-HC	FT0612-HC	ALL (EXCEPT TX)	6" SDR 35	2
10 x 8	80	FT1008-HC	FT0810-HC	CA, TX ONLY	6" SDR 35	2
13 x 7	91	FT1307-HC	FT0713-HC	ALL (EXCEPT CA, TX)	6" SDR 35	2
12 x 8	96	FT1208-HC	FT0812-HC	CA, TX ONLY	6" SDR 35	2
14 x 8	112	FT1408-HC†	N/A	ALL	6" SDR 35	3
16 x 8	128	FT1608-HC†	N/A	ALL (EXCEPT OR, WA)	6" SDR 35	3
15 x 9	135	FT1509-HC†	N/A	OR, WA ONLY	6" SDR 35	3
18 x 8	144	FT1808-HC†	N/A	CALL CONTECH	6" SDR 35	3
20 x 8	160	FT2008-HC†	N/A	CALL CONTECH	6" SDR 35	4
22 x 8	176	FT2208-HC†	N/A	CALL CONTECH	6" SDR 35	4

†UTILIZES (2) CURB OPENINGS WITH MIN. 6" SPACING

INTERNAL PIPE CONFIGURATION MAY VARY DEPENDING UPON OUTLET LOCATION

The design and information shown on this drawing is provided as a service to the project owner, engineer and contractor by Contech Engineered Solutions LLC or one of its affiliated companies ("Contech"). Neither this drawing, nor any part thereof, may be used, reproduced or modified in any manner without the prior written consent of Contech. Failure to comply is done at the user's own risk and Contech expressly disclaims any liability or responsibility for such use. If discrepancies between the supplied information upon which the drawing is based and actual field conditions are encountered as site work progresses, these discrepancies must be reported to Contech immediately for re-evaluation of the design. Contech accepts no liability for designs based on missing, incomplete or inaccurate information supplied by others.



9100 Centre Pointe Dr., Suite 400, West Chester, OH 45069  
800-338-1122 513-645-7000 513-645-7993 FAX

**FILTERRA OFFLINE HC (FT-HC)  
CONFIGURATION DETAIL**



FOR PATENT INFORMATION, GO TO www.ContechES.com/IP