


STORMFILTER DESIGN NOTES

STORMFILTER TREATMENT CAPACITY IS A FUNCTION OF THE CARTRIDGE SELECTION AND THE NUMBER OF CARTRIDGES. THE STANDARD VAULT STYLE IS SHOWN WITH THE MAXIMUM NUMBER OF CARTRIDGES (56). VAULT STYLE OPTIONS INCLUDE INLET BAY (49), INLET BAY/OUTLET BAY (46), OUTLET BAY (51), INLET BAY/FULL HEIGHT BAFFLE WALL (41), FULL HEIGHT BAFFLE WALL (46). STORMFILTER 8X22 PEAK HYDRAULIC CAPACITY IS 1.8 CFS. IF THE SITE CONDITIONS EXCEED 1.8 CFS AN UPSTREAM BYPASS STRUCTURE IS REQUIRED.


CARTRIDGE SELECTION

CARTRIDGE HEIGHT	27"			18"			LOW DROP		
RECOMMENDED HYDRAULIC DROP (H)	3.05'			2.3'			1.8'		
SPECIFIC FLOW RATE (gpm/sf)	2 gpm/sf	1.67* gpm/sf	1 gpm/sf	2 gpm/sf	1.67* gpm/sf	1 gpm/sf	2 gpm/sf	1.67* gpm/sf	1 gpm/sf
CARTRIDGE FLOW RATE (gpm)	22.5	18.79	11.25	15	12.53	7.5	10	8.35	5

* 1.67 gpm/sf SPECIFIC FLOW RATE IS APPROVED WITH PHOSPHOSORB® (PSORB) MEDIA ONLY



PLAN VIEW
VAULT STYLE: OUTLET SUMP (NIB)



FRAME, COVER, AND HATCH
(SIZE AND CONFIGURATION VARY)
N.T.S.

SITE SPECIFIC DATA REQUIREMENTS

STRUCTURE ID	*
WATER QUALITY FLOW RATE (cfs)	*
PEAK FLOW RATE (cfs)	*
RETURN PERIOD OF PEAK FLOW (yrs)	*
CARTRIDGE HEIGHT (27", 18", LOW DROP(LD))	*
NUMBER OF CARTRIDGES REQUIRED	*
CARTRIDGE FLOW RATE	*
MEDIA TYPE (PERLITE, ZPG, PSORB)	*


PIPE DATA:	I.E.	MATERIAL	DIAMETER
INLET PIPE #1	*	*	*
INLET PIPE #2	*	*	*
OUTLET PIPE	*	*	*

UPSTREAM RIM ELEVATION	*
DOWNSTREAM RIM ELEVATION	*

ANTI-FLOTATION BALLAST	WIDTH	HEIGHT
	*	*

NOTES/SPECIAL REQUIREMENTS:

* PER ENGINEER OF RECORD



SECTION A-A

GENERAL NOTES

- CONTECH TO PROVIDE ALL MATERIALS UNLESS NOTED OTHERWISE.
- DIMENSIONS MARKED WITH () ARE REFERENCE DIMENSIONS. ACTUAL DIMENSIONS MAY VARY.
- FOR SITE SPECIFIC DRAWINGS WITH DETAILED VAULT DIMENSIONS AND WEIGHTS, PLEASE CONTACT YOUR CONTECH ENGINEERED SOLUTIONS LLC REPRESENTATIVE. www.contechES.com
- STORMFILTER WATER QUALITY STRUCTURE SHALL BE IN ACCORDANCE WITH ALL DESIGN DATA AND INFORMATION CONTAINED IN THIS DRAWING.
- STRUCTURE SHALL MEET AASHTO HS20 LOAD RATING, ASSUMING EARTH COVER OF 0' - 5' AND GROUNDWATER ELEVATION AT, OR BELOW, THE OUTLET PIPE INVERT ELEVATION. ENGINEER OF RECORD TO CONFIRM ACTUAL GROUNDWATER ELEVATION. CASTINGS SHALL MEET AASHTO M306 AND BE CAST WITH THE CONTECH LOGO.
- FILTER CARTRIDGES SHALL BE MEDIA-FILLED, PASSIVE, SIPHON ACTUATED, RADIAL FLOW, AND SELF CLEANING. RADIAL MEDIA DEPTH SHALL BE 7-INCHES. FILTER MEDIA CONTACT TIME SHALL BE AT LEAST 38 SECONDS.
- SPECIFIC FLOW RATE IS EQUAL TO THE FILTER TREATMENT CAPACITY (gpm) DIVIDED BY THE FILTER CONTACT SURFACE AREA (sq ft).
- STORMFILTER STRUCTURE SHALL BE PRECAST CONFORMING TO ASTM C-857 AND AASHTO LOAD FACTOR DESIGN METHOD.

INSTALLATION NOTES

- ANY SUB-BASE, BACKFILL DEPTH, AND/OR ANTI-FLOTATION PROVISIONS ARE SITE-SPECIFIC DESIGN CONSIDERATIONS AND SHALL BE SPECIFIED BY ENGINEER OF RECORD.
- CONTRACTOR TO PROVIDE EQUIPMENT WITH SUFFICIENT LIFTING AND REACH CAPACITY TO LIFT AND SET THE STORMFILTER VAULT (LIFTING CLUTCHES PROVIDED).
- CONTRACTOR TO INSTALL JOINT SEALANT BETWEEN ALL VAULT SECTIONS AND ASSEMBLE VAULT.
- CONTRACTOR TO PROVIDE, INSTALL, AND GROUT PIPES. MATCH OUTLET PIPE INVERT WITH OUTLET BAY FLOOR.
- CONTRACTOR TO TAKE APPROPRIATE MEASURES TO PROTECT CARTRIDGES FROM CONSTRUCTION-RELATED EROSION RUNOFF.

CONTECH
ENGINEERED SOLUTIONS LLC

www.contechES.com
9025 Centre Pointe Dr., Suite 400, West Chester, OH 45069
800-338-1122 513-645-7000 513-645-7993 FAX

SF0822
STORMFILTER
STANDARD DETAIL



THIS PRODUCT MAY BE PROTECTED BY ONE OR MORE OF THE FOLLOWING: U.S. PATENT NO. 8,322,228; U.S. PATENT NO. 8,322,229; U.S. PATENT NO. 8,322,230; U.S. PATENT NO. 8,322,231; U.S. PATENT NO. 8,322,232; U.S. PATENT NO. 8,322,233; U.S. PATENT NO. 8,322,234; U.S. PATENT NO. 8,322,235; U.S. PATENT NO. 8,322,236; U.S. PATENT NO. 8,322,237; U.S. PATENT NO. 8,322,238; U.S. PATENT NO. 8,322,239; U.S. PATENT NO. 8,322,240; U.S. PATENT NO. 8,322,241; U.S. PATENT NO. 8,322,242; U.S. PATENT NO. 8,322,243; U.S. PATENT NO. 8,322,244; U.S. PATENT NO. 8,322,245; U.S. PATENT NO. 8,322,246; U.S. PATENT NO. 8,322,247; U.S. PATENT NO. 8,322,248; U.S. PATENT NO. 8,322,249; U.S. PATENT NO. 8,322,250; U.S. PATENT NO. 8,322,251; U.S. PATENT NO. 8,322,252; U.S. PATENT NO. 8,322,253; U.S. PATENT NO. 8,322,254; U.S. PATENT NO. 8,322,255; U.S. PATENT NO. 8,322,256; U.S. PATENT NO. 8,322,257; U.S. PATENT NO. 8,322,258; U.S. PATENT NO. 8,322,259; U.S. PATENT NO. 8,322,260; U.S. PATENT NO. 8,322,261; U.S. PATENT NO. 8,322,262; U.S. PATENT NO. 8,322,263; U.S. PATENT NO. 8,322,264; U.S. PATENT NO. 8,322,265; U.S. PATENT NO. 8,322,266; U.S. PATENT NO. 8,322,267; U.S. PATENT NO. 8,322,268; U.S. PATENT NO. 8,322,269; U.S. PATENT NO. 8,322,270; U.S. PATENT NO. 8,322,271; U.S. PATENT NO. 8,322,272; U.S. PATENT NO. 8,322,273; U.S. PATENT NO. 8,322,274; U.S. PATENT NO. 8,322,275; U.S. PATENT NO. 8,322,276; U.S. PATENT NO. 8,322,277; U.S. PATENT NO. 8,322,278; U.S. PATENT NO. 8,322,279; U.S. PATENT NO. 8,322,280; U.S. PATENT NO. 8,322,281; U.S. PATENT NO. 8,322,282; U.S. PATENT NO. 8,322,283; U.S. PATENT NO. 8,322,284; U.S. PATENT NO. 8,322,285; U.S. PATENT NO. 8,322,286; U.S. PATENT NO. 8,322,287; U.S. PATENT NO. 8,322,288; U.S. PATENT NO. 8,322,289; U.S. PATENT NO. 8,322,290; U.S. PATENT NO. 8,322,291; U.S. PATENT NO. 8,322,292; U.S. PATENT NO. 8,322,293; U.S. PATENT NO. 8,322,294; U.S. PATENT NO. 8,322,295; U.S. PATENT NO. 8,322,296; U.S. PATENT NO. 8,322,297; U.S. PATENT NO. 8,322,298; U.S. PATENT NO. 8,322,299; U.S. PATENT NO. 8,322,300; U.S. PATENT NO. 8,322,301; U.S. PATENT NO. 8,322,302; U.S. PATENT NO. 8,322,303; U.S. PATENT NO. 8,322,304; U.S. PATENT NO. 8,322,305; U.S. PATENT NO. 8,322,306; U.S. PATENT NO. 8,322,307; U.S. PATENT NO. 8,322,308; U.S. PATENT NO. 8,322,309; U.S. PATENT NO. 8,322,310; U.S. PATENT NO. 8,322,311; U.S. PATENT NO. 8,322,312; U.S. PATENT NO. 8,322,313; U.S. PATENT NO. 8,322,314; U.S. PATENT NO. 8,322,315; U.S. PATENT NO. 8,322,316; U.S. PATENT NO. 8,322,317; U.S. PATENT NO. 8,322,318; U.S. PATENT NO. 8,322,319; U.S. PATENT NO. 8,322,320; U.S. PATENT NO. 8,322,321; U.S. PATENT NO. 8,322,322; U.S. PATENT NO. 8,322,323; U.S. PATENT NO. 8,322,324; U.S. PATENT NO. 8,322,325; U.S. PATENT NO. 8,322,326; U.S. PATENT NO. 8,322,327; U.S. PATENT NO. 8,322,328; U.S. PATENT NO. 8,322,329; U.S. PATENT NO. 8,322,330; U.S. PATENT NO. 8,322,331; U.S. PATENT NO. 8,322,332; U.S. PATENT NO. 8,322,333; U.S. PATENT NO. 8,322,334; U.S. PATENT NO. 8,322,335; U.S. PATENT NO. 8,322,336; U.S. PATENT NO. 8,322,337; U.S. PATENT NO. 8,322,338; U.S. PATENT NO. 8,322,339; U.S. PATENT NO. 8,322,340; U.S. PATENT NO. 8,322,341; U.S. PATENT NO. 8,322,342; U.S. PATENT NO. 8,322,343; U.S. PATENT NO. 8,322,344; U.S. PATENT NO. 8,322,345; U.S. PATENT NO. 8,322,346; U.S. PATENT NO. 8,322,347; U.S. PATENT NO. 8,322,348; U.S. PATENT NO. 8,322,349; U.S. PATENT NO. 8,322,350; U.S. PATENT NO. 8,322,351; U.S. PATENT NO. 8,322,352; U.S. PATENT NO. 8,322,353; U.S. PATENT NO. 8,322,354; U.S. PATENT NO. 8,322,355; U.S. PATENT NO. 8,322,356; U.S. PATENT NO. 8,322,357; U.S. PATENT NO. 8,322,358; U.S. PATENT NO. 8,322,359; U.S. PATENT NO. 8,322,360; U.S. PATENT NO. 8,322,361; U.S. PATENT NO. 8,322,362; U.S. PATENT NO. 8,322,363; U.S. PATENT NO. 8,322,364; U.S. PATENT NO. 8,322,365; U.S. PATENT NO. 8,322,366; U.S. PATENT NO. 8,322,367; U.S. PATENT NO. 8,322,368; U.S. PATENT NO. 8,322,369; U.S. PATENT NO. 8,322,370; U.S. PATENT NO. 8,322,371; U.S. PATENT NO. 8,322,372; U.S. PATENT NO. 8,322,373; U.S. PATENT NO. 8,322,374; U.S. PATENT NO. 8,322,375; U.S. PATENT NO. 8,322,376; U.S. PATENT NO. 8,322,377; U.S. PATENT NO. 8,322,378; U.S. PATENT NO. 8,322,379; U.S. PATENT NO. 8,322,380; U.S. PATENT NO. 8,322,381; U.S. PATENT NO. 8,322,382; U.S. PATENT NO. 8,322,383; U.S. PATENT NO. 8,322,384; U.S. PATENT NO. 8,322,385; U.S. PATENT NO. 8,322,386; U.S. PATENT NO. 8,322,387; U.S. PATENT NO. 8,322,388; U.S. PATENT NO. 8,322,389; U.S. PATENT NO. 8,322,390; U.S. PATENT NO. 8,322,391; U.S. PATENT NO. 8,322,392; U.S. PATENT NO. 8,322,393; U.S. PATENT NO. 8,322,394; U.S. PATENT NO. 8,322,395; U.S. PATENT NO. 8,322,396; U.S. PATENT NO. 8,322,397; U.S. PATENT NO. 8,322,398; U.S. PATENT NO. 8,322,399; U.S. PATENT NO. 8,322,400; U.S. PATENT NO. 8,322,401; U.S. PATENT NO. 8,322,402; U.S. PATENT NO. 8,322,403; U.S. PATENT NO. 8,322,404; U.S. PATENT NO. 8,322,405; U.S. PATENT NO. 8,322,406; U.S. PATENT NO. 8,322,407; U.S. PATENT NO. 8,322,408; U.S. PATENT NO. 8,322,409; U.S. PATENT NO. 8,322,410; U.S. PATENT NO. 8,322,411; U.S. PATENT NO. 8,322,412; U.S. PATENT NO. 8,322,413; U.S. PATENT NO. 8,322,414; U.S. PATENT NO. 8,322,415; U.S. PATENT NO. 8,322,416; U.S. PATENT NO. 8,322,417; U.S. PATENT NO. 8,322,418; U.S. PATENT NO. 8,322,419; U.S. PATENT NO. 8,322,420; U.S. PATENT NO. 8,322,421; U.S. PATENT NO. 8,322,422; U.S. PATENT NO. 8,322,423; U.S. PATENT NO. 8,322,424; U.S. PATENT NO. 8,322,425; U.S. PATENT NO. 8,322,426; U.S. PATENT NO. 8,322,427; U.S. PATENT NO. 8,322,428; U.S. PATENT NO. 8,322,429; U.S. PATENT NO. 8,322,430; U.S. PATENT NO. 8,322,431; U.S. PATENT NO. 8,322,432; U.S. PATENT NO. 8,322,433; U.S. PATENT NO. 8,322,434; U.S. PATENT NO. 8,322,435; U.S. PATENT NO. 8,322,436; U.S. PATENT NO. 8,322,437; U.S. PATENT NO. 8,322,438; U.S. PATENT NO. 8,322,439; U.S. PATENT NO. 8,322,440; U.S. PATENT NO. 8,322,441; U.S. PATENT NO. 8,322,442; U.S. PATENT NO. 8,322,443; U.S. PATENT NO. 8,322,444; U.S. PATENT NO. 8,322,445; U.S. PATENT NO. 8,322,446; U.S. PATENT NO. 8,322,447; U.S. PATENT NO. 8,322,448; U.S. PATENT NO. 8,322,449; U.S. PATENT NO. 8,322,450; U.S. PATENT NO. 8,322,451; U.S. PATENT NO. 8,322,452; U.S. PATENT NO. 8,322,453; U.S. PATENT NO. 8,322,454; U.S. PATENT NO. 8,322,455; U.S. PATENT NO. 8,322,456; U.S. PATENT NO. 8,322,457; U.S. PATENT NO. 8,322,458; U.S. PATENT NO. 8,322,459; U.S. PATENT NO. 8,322,460; U.S. PATENT NO. 8,322,461; U.S. PATENT NO. 8,322,462; U.S. PATENT NO. 8,322,463; U.S. PATENT NO. 8,322,464; U.S. PATENT NO. 8,322,465; U.S. PATENT NO. 8,322,466; U.S. PATENT NO. 8,322,467; U.S. PATENT NO. 8,322,468; U.S. PATENT NO. 8,322,469; U.S. PATENT NO. 8,322,470; U.S. PATENT NO. 8,322,471; U.S. PATENT NO. 8,322,472; U.S. PATENT NO. 8,322,473; U.S. PATENT NO. 8,322,474; U.S. PATENT NO. 8,322,475; U.S. PATENT NO. 8,322,476; U.S. PATENT NO. 8,322,477; U.S. PATENT NO. 8,322,478; U.S. PATENT NO. 8,322,479; U.S. PATENT NO. 8,322,480; U.S. PATENT NO. 8,322,481; U.S. PATENT NO. 8,322,482; U.S. PATENT NO. 8,322,483; U.S. PATENT NO. 8,322,484; U.S. PATENT NO. 8,322,485; U.S. PATENT NO. 8,322,486; U.S. PATENT NO. 8,322,487; U.S. PATENT NO. 8,322,488; U.S. PATENT NO. 8,322,489; U.S. PATENT NO. 8,322,490; U.S. PATENT NO. 8,322,491; U.S. PATENT NO. 8,322,492; U.S. PATENT NO. 8,322,493; U.S. PATENT NO. 8,322,494; U.S. PATENT NO. 8,322,495; U.S. PATENT NO. 8,322,496; U.S. PATENT NO. 8,322,497; U.S. PATENT NO. 8,322,498; U.S. PATENT NO. 8,322,499; U.S. PATENT NO. 8,322,500; U.S. PATENT NO. 8,322,501; U.S. PATENT NO. 8,322,502; U.S. PATENT NO. 8,322,503; U.S. PATENT NO. 8,322,504; U.S. PATENT NO. 8,322,505; U.S. PATENT NO. 8,322,506; U.S. PATENT NO. 8,322,507; U.S. PATENT NO. 8,322,508; U.S. PATENT NO. 8,322,509; U.S. PATENT NO. 8,322,510; U.S. PATENT NO. 8,322,511; U.S. PATENT NO. 8,322,512; U.S. PATENT NO. 8,322,513; U.S. PATENT NO. 8,322,514; U.S. PATENT NO. 8,322,515; U.S. PATENT NO. 8,322,516; U.S. PATENT NO. 8,322,517; U.S. PATENT NO. 8,322,518; U.S. PATENT NO. 8,322,519; U.S. PATENT NO. 8,322,520; U.S. PATENT NO. 8,322,521; U.S. PATENT NO. 8,322,522; U.S. PATENT NO. 8,322,523; U.S. PATENT NO. 8,322,524; U.S. PATENT NO. 8,322,525; U.S. PATENT NO. 8,322,526; U.S. PATENT NO. 8,322,527; U.S. PATENT NO. 8,322,528; U.S. PATENT NO. 8,322,529; U.S. PATENT NO. 8,322,530; U.S. PATENT NO. 8,322,531; U.S. PATENT NO. 8,322,532; U.S. PATENT NO. 8,322,533; U.S. PATENT NO. 8,322,534; U.S. PATENT NO. 8,322,535; U.S. PATENT NO. 8,322,536; U.S. PATENT NO. 8,322,537; U.S. PATENT NO. 8,322,538; U.S. PATENT NO. 8,322,539; U.S. PATENT NO. 8,322,540; U.S. PATENT NO. 8,322,541; U.S. PATENT NO. 8,322,542; U.S. PATENT NO. 8,322,543; U.S. PATENT NO. 8,322,544; U.S. PATENT NO. 8,322,545; U.S. PATENT NO. 8,322,546; U.S. PATENT NO. 8,322,547; U.S. PATENT NO. 8,322,548; U.S. PATENT NO. 8,322,549; U.S. PATENT NO. 8,322,550; U.S. PATENT NO. 8,322,551; U.S. PATENT NO. 8,322,552; U.S. PATENT NO. 8,322,553; U.S. PATENT NO. 8,322,554; U.S. PATENT NO. 8,322,555; U.S. PATENT NO. 8,322,556; U.S. PATENT NO. 8,322,557; U.S. PATENT NO. 8,322,558; U.S. PATENT NO. 8,322,559; U.S. PATENT NO. 8,322,560; U.S. PATENT NO. 8,322,561; U.S. PATENT NO. 8,322,562; U.S. PATENT NO. 8,322,563; U.S. PATENT NO. 8,322,564; U.S. PATENT NO. 8,322,565; U.S. PATENT NO. 8,322,566; U.S. PATENT NO. 8,322,567; U.S. PATENT NO. 8,322,568; U.S. PATENT NO. 8,322,569; U.S. PATENT NO. 8,322,570; U.S. PATENT NO. 8,322,571; U.S. PATENT NO. 8,322,572; U.S. PATENT NO. 8,322,573; U.S. PATENT NO. 8,322,574; U.S. PATENT NO. 8,322,575; U.S. PATENT NO. 8,322,576; U.S. PATENT NO. 8,322,577; U.S. PATENT NO. 8,322,578; U.S. PATENT NO. 8,322,579; U.S. PATENT NO. 8,322,580; U.S. PATENT NO. 8,322,581; U.S. PATENT NO. 8,322,582; U.S. PATENT NO. 8,322,583; U.S. PATENT NO. 8,322,584; U.S. PATENT NO. 8,322,585; U.S. PATENT NO. 8,322,586; U.S. PATENT NO. 8,322,587; U.S. PATENT NO. 8,322,588; U.S. PATENT NO. 8,322,589; U.S. PATENT NO. 8,322,590; U.S. PATENT NO. 8,322,591; U.S. PATENT NO. 8,322,592; U.S. PATENT NO. 8,322,593; U.S. PATENT NO. 8,322,594; U.S. PATENT NO. 8,322,595; U.S. PATENT NO. 8,322,596; U.S. PATENT NO. 8,322,597; U.S. PATENT NO. 8,322,598; U.S. PATENT NO. 8,322,599; U.S. PATENT NO. 8,322,600; U.S. PATENT NO. 8,322,601; U.S. PATENT NO. 8,322,602; U.S. PATENT NO. 8,322,603; U.S. PATENT NO. 8,322,604; U.S. PATENT NO. 8,322,605; U.S. PATENT NO. 8,322,606; U.S. PATENT NO. 8,322,607; U.S. PATENT NO. 8,322,608; U.S. PATENT NO. 8,322,609; U.S. PATENT NO. 8,322,610; U.S. PATENT NO. 8,322,611; U.S. PATENT NO. 8,322,612; U.S. PATENT NO. 8,322,613; U.S. PATENT NO. 8,322,614; U.S. PATENT NO. 8,322,615; U.S. PATENT NO. 8,322,616; U.S. PATENT NO. 8,322,617; U.S. PATENT NO. 8,322,618; U.S. PATENT NO. 8,322,619; U.S. PATENT NO. 8,322,620; U.S. PATENT NO. 8,322,621; U.S. PATENT NO. 8,322,622; U.S. PATENT NO. 8,322,623; U.S. PATENT NO. 8,322,624; U.S. PATENT NO. 8,322,625; U.S. PATENT NO. 8,322,626; U.S. PATENT NO. 8,322,627; U.S. PATENT NO. 8,322,628; U.S. PATENT NO. 8,322,629; U.S. PATENT NO. 8,322,630; U.S. PATENT NO. 8,322,631; U.S. PATENT NO. 8,322,632; U.S. PATENT NO. 8,322,633; U.S. PATENT NO. 8,322,634; U.S. PATENT NO. 8,322,635; U.S. PATENT NO. 8,322,636; U.S. PATENT NO. 8,322,637; U.S. PATENT NO. 8,322,638; U.S. PATENT NO. 8,322,639; U.S. PATENT NO. 8,322,640; U.S. PATENT NO. 8,322,641; U.S. PATENT NO. 8,322,642; U.S. PATENT NO. 8,322,643; U.S. PATENT NO. 8,322,644; U.S. PATENT NO. 8,322,645; U.S. PATENT NO. 8,322,646; U.S. PATENT NO. 8,322,647; U.S. PATENT NO. 8,322,648; U.S. PATENT NO. 8,322,649; U.S. PATENT NO. 8,322,650; U.S. PATENT NO. 8,322,651; U.S. PATENT NO. 8,322,652; U.S. PATENT NO. 8,322,653; U.S. PATENT NO. 8,322,654; U.S. PATENT NO. 8,322,655; U.S. PATENT NO. 8,322,656; U.S. PATENT NO. 8,322,657; U.S. PATENT NO. 8,322,658; U.S. PATENT NO. 8,322,659; U.S. PATENT NO. 8,322,660; U.S. PATENT NO. 8,322,661; U.S. PATENT NO. 8,322,662; U.S. PATENT NO. 8,322,663; U.S. PATENT NO. 8,322,664; U.S. PATENT NO. 8,322,665; U.S. PATENT NO. 8,322,666; U.S. PATENT NO. 8,322,667; U.S. PATENT NO. 8,322,668; U.S. PATENT NO. 8,322,669; U.S. PATENT NO. 8,322,670; U.S. PATENT NO. 8,322,671; U.S. PATENT NO. 8,322,672; U.S. PATENT NO. 8,322,673; U.S. PATENT NO. 8,322,674; U.S. PATENT NO. 8,322,675; U.S. PATENT NO. 8,322,676; U.S. PATENT NO. 8,322,677; U.S. PATENT NO. 8,322,678; U.S. PATENT NO. 8,322,679; U.S. PATENT NO. 8,322,680; U.S. PATENT NO. 8,322,681; U.S. PATENT NO. 8,322,682; U.S. PATENT NO. 8,322,683; U.S. PATENT NO. 8,322,684; U.S. PATENT NO. 8,322,685; U.S. PATENT NO. 8,322,686; U.S. PATENT NO. 8,322,687; U.S. PATENT NO. 8,322,688; U.S. PATENT NO. 8,322,689; U.S. PATENT NO. 8,322,690; U.S. PATENT NO. 8,322,691; U.S. PATENT NO. 8,322,692; U.S. PATENT NO. 8,322,693; U.S. PATENT NO. 8,322,694; U.S. PATENT NO. 8,322,695; U.S. PATENT NO. 8,322,696; U.S. PATENT NO. 8,322,697; U.S. PATENT NO. 8,322,698; U.S. PATENT NO. 8,322,699; U.S. PATENT NO. 8,322,700; U.S. PATENT NO. 8,322,701; U.S. PATENT NO. 8,322,702; U.S. PATENT NO. 8,322,703; U.S. PATENT NO. 8,322,704; U.S. PATENT NO. 8,322,705; U.S. PATENT NO. 8,322,706; U.S. PATENT NO. 8,322,707; U.S. PATENT NO. 8,322,708; U.S. PATENT NO. 8,322,709; U.S. PATENT NO. 8,322,710; U.S. PATENT NO. 8,322,711; U.S. PATENT NO. 8,322,712; U.S. PATENT NO. 8,322,713; U.S. PATENT NO. 8,322,714; U.S. PATENT NO. 8,322,715; U.S. PATENT NO. 8,322,716; U.S. PATENT NO. 8,322,717; U.S. PATENT NO. 8,322,718; U.S. PATENT NO. 8,322,719; U.S. PATENT NO. 8,322,720; U.S. PATENT NO. 8,322,721; U.S. PATENT NO. 8,322,722; U.S. PATENT NO. 8,322,723; U.S. PATENT NO. 8,322,724; U.S. PATENT NO. 8,322,725; U.S. PATENT NO. 8,322,726; U.S. PATENT NO. 8,322,727; U.S. PATENT NO. 8,322,728; U.S. PATENT NO. 8,322,729; U.S. PATENT NO. 8,322,730; U.S. PATENT NO. 8,322,731; U.S. PATENT NO. 8,322,732; U.S. PATENT NO. 8,322,733; U.S. PATENT NO. 8,322,734; U.S. PATENT NO. 8,322,735; U.S. PATENT NO. 8,322,736; U.S. PATENT NO. 8,322,737; U.S. PATENT NO. 8,322,738; U.S. PATENT NO. 8,322,739; U.S. PATENT NO. 8,322,740; U